

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	161	(choos\$5 select\$5) near5 (name adj value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 15:33
L2	8	(choos\$5 select\$5) near5 (name adj value) same (singular nea3 template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 15:33
L3	11	(choos\$5 select\$5) near5 (name adj value) same (master nea3 template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 15:35
L4	0	(choos\$5 select\$5) near5 (name adj value) same (master near3 template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 15:35
L5	0	(choos\$5 select\$5) near5 (name adj value) and (master near3 template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 15:36
L6	1423	(master near3 template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 15:46
L7	67	"709"/\$.ccls. and (template) same (name adj value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 15:47
L8	5	"709"/\$.ccls. and (template) same (name adj value) same (XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 15:49
L9	6	"709"/\$.ccls. and (convert\$5) near5 (select\$5) near5 (portion) near4 (service data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 15:52
L10	14	"709"/\$.ccls. and (convert\$5) near5 (select\$5) near6 (service data) same (XML HTML WML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 15:53
S1	2	"6589291".pn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 10:57

S2	2	"6477549".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 11:30
S3	1	(09/146717) and (sugiarto)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/23 11:30
S4	15708	Markup adj language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 16:58
S5	17861	(Markup:Mark adj up)adj language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 12:32
S6	11056	((Markup Mark adj up)adj language) and @ad<"20010822"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:27
S7	3	((Markup:Mark adj up)adj language) and @ad<"20010822") and ((provid\$4 creat\$4 generat\$4)near10 ((universal master) adj template))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:35
S8	110	((provid\$4 creat\$4 generat\$4)near10 ((universal master) adj template))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 12:45
S9	87	((provid\$4 creat\$4 generat\$4)near10 ((universal master) adj template))) and @ad<"20010822"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:49
S10	281	((Markup:Mark adj up)adj language) and @ad<"20010822") and 709/310-332.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:28
S11	0	((Markup:Mark adj up)adj language) and @ad<"20010822") and 709/310-332.ccls.) and ((provid\$4 creat\$4 generat\$4)near10 ((universal master global) adj template))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:29
S12	0	((provid\$4 creat\$4 generat\$4)near10 ((universal master) adj template))) and @ad<"20010822")and (label and (tag adj nam\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 07:30
S13	0	((provid\$4 creat\$4 generat\$4)near10 ((universal master) adj template))) and @ad<"20010822")and (tag adj nam\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:44
S14	9	((provid\$4 creat\$4 generat\$4)near10 ((universal master) adj template))) and @ad<"20010822")and (tag label)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:31

S15	800	((Markup Mark adj up)adj language) and @ad<"20010822" and ((provid\$4 creat\$4 generat\$4)near10 ((universal master global subtemplate service) and template))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:39
S16	799	((Markup Mark adj up)adj language) and @ad<"20010822" and ((provid\$4 creat\$4 generat\$4)near10 ((universal master global subtemplate service) and template))) and (label\$4 tagname\$4 XML HTML WML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:45
S17	799	((Markup Mark adj up)adj language) and @ad<"20010822" and ((provid\$4 creat\$4 generat\$4)near10 ((universal master global service) and template))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:44
S18	300	((Markup Mark adj up)adj language) and @ad<"20010822" and ((provid\$4 creat\$4 generat\$4)near10 ((universal master global) and template)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:45
S19	31210	L9and (XML HTML WML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:45
S20	300	((Markup Mark adj up)adj language) and @ad<"20010822" and ((provid\$4 creat\$4 generat\$4)near10 ((universal master global) and template))) and (XML HTML WML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 14:45
S21	6	((Markup Mark adj up)adj language) and @ad<"20010822" and ((provid\$4 creat\$4 generat\$4)near10 ((universal master global) and template))) and (XML and HTML and WML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:56
S22	10982	((Markup Mark adj up)adj language) and @ad<"20010822"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 14:54
S23	13	((Markup Mark adj up)adj language) and @ad<"20010822" and (service adj templat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:33
S24	2	"5491820".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:35
S25	2	"5530852".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:37
S26	2	"5572643".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:39
S27	2	"5793972".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:39

S54	0	(master adj template) and ((similar identicle group) same device same WML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 16:59
S55	0	(master adj template) and ((similar identicle group) same device same WML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 17:00
S56	748	(master adj template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:34
S57	0	S56 and ((devic\$5) near10 (using requiring need\$5) near10 (similar identicle) near10 (markup adj language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:27
S58	0	S56 and ((devic\$5) near10 (using requiring need\$5) near10 (similar identical) near10 (markup adj language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 17:02
S59	0	S56 and ((devic\$5) near10 (similar identical) near10 (markup adj language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 17:02
S60	0	S56 and ((similar identical) near10 (markup adj language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 17:02
S61	18	S56 and (markup adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 08:40
S62	2	"5665130".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 08:40
S63	2	"5655130".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 08:41
S64	2	"5911776".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 08:42

S65	2	"5915259".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 11:04
S66	2	"5119465".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 11:06
S67	2	"5845299".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 11:06
S68	2	"6275829".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 11:07
S69	2	"6097389".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:14
S70	2	"5987480".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:49
S71	0	(master adj template) near10 (wireless near5 devic\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:26
S72	0	(master adj template) near10 (wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:27
S73	748	(master adj template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:27
S74	0	S73 and ((devic\$5) near10 (using requiring need\$5) near10 (markup adj language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 14:27
S75	2	"6708189".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:27

S76	2	"6408360".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:27
S77	2	"6272492".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:29
S78	2	"6192415".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:31
S79	2	"6571246".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:32
S80	0	(2004/0030697) and (cochran)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:32
S81	2	"6651217".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:33
S82	1	(master adj template) and XML and HTML and WML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:40
S83	16	(master adj template) and XML and HTML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:35
S84	13	(master adj template) and XML and (PDA cell phone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:43
S85	2	"6658418".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:44
S86	0	(master near3 template) near10 (device near3 type) near10 (plurality multiple several) near5 (template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:54

S87	1	(master near3 template) near10 (device near3 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:55
S88	0	(master near3 template) near10 ((plurality multiple several) near5 device near3 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:55
S89	26	((Markup Mark adj up)adj language) and ((provid\$4 creat\$4 generat\$4)near10 ((universal master global) and template)) and (XML and HTML and WML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:05
S90	112	(transform\$5) near5 (data (markup adj language)) and template and (XML and HTML and WML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:14
S91	106	(transform\$5) near5 (data (markup adj language)) and template and (XML and HTML and WML) and (devic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:14
S92	107	(transform\$5) near5 (data (markup adj language)) and templat\$5 and (XML and HTML and WML) and (devic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:26
S93	0	(transform\$5) near5 (data (markup adj language)) and ((sub master) adj templates) and (XML and HTML and WML) and (devic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:28
S94	0	(transform\$5) near5 (data (markup adj language)) and ((master) adj templates) and (XML and HTML and WML) and (devic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:27
S95	0	(transform\$5) near5 (data (markup adj language)) and ((sub master) adj templat\$5) and (XML and HTML and WML) and (devic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:28
S96	106	(transform\$5) near5 (data (markup adj language)) and (template templates) and (XML and HTML and WML) and (devic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 17:05
S97	8	(transform\$5) near5 (data (markup adj language)) and (template templates) and (XML and HTML and WML) and (devic\$5) and (master)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 17:11
S98	0	(generat\$5 creat\$5 produc\$5) near5 (template) near5 (from) near5 (master main available designed) near5 (template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:23
S99	0	(template) near5 (from) near5 (master main available designed) near5 (template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 07:29

S10 0	20001	"715"/\$.ccis.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 07:29
S10 1	0	S100 and (((provid\$4 creat\$4 generat\$4)near10 ((universal master) adj template))))and (label and (tag adj nam\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 07:30
S10 2	0	S100 and ((transform\$5 near5 (data (markup adj language)) and ((sub master) adj templates)) and (XML and HTML and WML) and (devic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 07:31
S10 3	31	S100 and (transform\$5 near5 (data (markup adj language))) and (templat\$5) and (XML and HTML and WML) and (devic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:22
S10 4	0	S100 and (transform\$5 near5 (data (markup adj language))) and (master) near4 (style adj sheet) and (XML and HTML and WML) and (devic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 09:54
S10 5	0	S100 and (transform\$5 near5 (data (markup adj language))) and (unique) adj (templat\$5) and (XML and HTML and WML) and (devic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:22
S10 6	0	S100 and (transform\$5 near5 (data (markup adj language))) and (master) near4 (XSL) and (XML and HTML and WML) and (devic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 09:42
S10 7	2	S100 and (transform\$5 near5 (data (markup adj language))) and (master general main) near4 (style near4 sheet) and (XML and HTML and WML) and (devic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:00
S10 8	2	S100 and (transform\$5 near5 (data (markup adj language))) and (master general main one-to-many) near4 (style near4 sheet) and (XML and HTML and WML) and (devic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:01
S10 9	0	S100 and (transform\$5 near5 (data (markup adj language))) and (one-to-many few-to-many) near4 (style near4 sheet) and (XML and HTML and WML) and (devic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:09
S11 0	59	(hillis) and (hong, stephens.xp.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:12
S11 1	481	(hillis et al) and ((hong.near3 stephens).xp.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:36
S11 2	0	(hillis near3 et near3 al) and ((hong near3 stephens).xp.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:29

S11 3	0	(hillis) and ((hong near3 stephens).xp.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:22
S11 4	62	(Master) and ((hong near3 stephens).xp.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:22
S11 5	470	(hillis near3 et near3 al)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:32
S11 6	1	"5590283".PN.	USPAT; USOCR	OR	OFF	2004/12/16 10:30
S11 7	1	"4709327".PN.	USPAT; USOCR	OR	OFF	2004/12/16 10:32
S11 8	1	(hillis near3 et near3 al) and ("715"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:13
S11 9	0	(hilis near3 et near3 al) and ("715"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 10:40
S12 0	0	(hillis near3 et near3 al) and (715/501.1;513,517.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:37
S12 1	3	(general master main) near5 (style near3 (template sheet)) and (device adj type) and XML and HTML and WML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:43
S12 2	4	(general master main) near5 ((template sheet)) and (device adj type) and XML and HTML and WML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 14:08
S12 3	1	(09/932656) and (Fitzsimons)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 14:08
S12 4	0	(common) near4 ((style adj sheet) template) near5 (RF cell wireless) near5 (device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:15
S12 5	1444	(common) near4 ((style adj sheet) template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:15
S12 6	0	(common) near4 ((style adj sheet) template) near (group) near5 (devid\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:16

S12 7	0	(common) near4 ((style adj sheet) template) near5 (group) near5 (devic\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:16
S12 8	0	(common) near4 ((style adj sheet) template) near (group) near5 (devic\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:17
S12 9	0	(common) near4 ((style adj sheet) template) near5 (group) near5 (devic\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:17
S13 0	0	(common) near4 ((style adj sheet) template) near5 (similar) near5 (devic\$5 browser display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:17
S13 1	152	(common) near4 ((style adj sheet) template) and (similar) near5 (devic\$5 browser display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:17
S13 2	3	((provid\$4 creat\$4 generat\$4)near10 (service adj template)) and (tag adj nam\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:47
S13 3	0	((provid\$4 creat\$4 generat\$4)near10 (individual adj template)) and (tag adj nam\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:47
S13 4	2	(default adj label) and (tag adj name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:48
S13 5	2297	(provid\$4 creat\$4 generat\$4)near10 (multiple plurality many) near10 (template\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:55
S13 6	1091	(creat\$4 generat\$4) near5 (multiple plurality many) near5 (template\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:51
S13 7	184	S136 and (master common global universal main top) near3 (template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:52
S13 8	3	S137 and XML and WML and HTML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:52

S13 9	72	S135 and ((master) near4 (template (style adj sheet)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:03
S14 0	1351	((master) near4 (template (style adj sheet)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 17:00
S14 1	1137	((master) near2 (template (style adj sheet)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:03
S14 2	927	((master) adj2 (template (style adj sheet)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:03
S14 3	750	((master) adj1 (template (style adj sheet)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:03
S14 4	0	(generat\$5 creat\$5 produc\$5) near5 (subtemplate) near5 (from) near5 (master main available designed); near5 (template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:23
S14 5	12	(generat\$5 creat\$5 produc\$5) near5 (subtemplate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:23
S14 6	485	((hong near3 stephens).xp.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:48
S14 7	466	(Hillis.inv.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:54
S14 8	0	(Hillis.inv.) and S146	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:44
S14 9	4	(Hillis.inv.) and (template (style adj sheet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:45
S15 0	4	(Hillis.inv.) and (template (style adj sheet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:45

S15 1	2	(Hillis.inv.) and (XML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:47
S15 2	0	(Hillis.inv.) AND ("715"/\$ CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 16:55
S15 3	750	((master) adj (template (style adj sheet)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 17:00
S15 4	2	((master) adj (template (style adj sheet))) and xml and html and wml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 17:00
S15 5	0	("09932656") and (fitzsims)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 07:48
S15 6	1	(09/932656) and (fitzsims)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 07:48
S15 7	15	(name-value near3 pair) near3 (XML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:08
S15 8	0	(master) near2 (template) and (convert\$5 transform\$5 translat\$5) near3 (untagged unformatted) near3 (data) near5 (HTML) and (device) near3 (type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:10
S15 9	0	(convert\$5 transform\$5 translat\$5) near3 (untagged unformatted) near3 (data) near5 (HTML) and (device) near3 (type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:10
S16 0	33	(convert\$5 transform\$5 translat\$5) near3 ( XML) near3 (data) near5 (HTML) and (device) near3 (type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:19
S16 1	9	"709"/\$.ccls. and (convert\$5 transform\$5 translat\$5) near3 ( XML) near3 (data) near5 (HTML) and (device) near3 (type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:19
S16 2	14	"715"/\$.ccls. and (convert\$5 transform\$5 translat\$5) near3 ( XML) near3 (data) near5 (HTML) and (device) near3 (type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 10:19
S16 3	0	09/682655 and SMRZLIC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:08

S16 4	0	09/682655 and SMRZLIC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:18
S16 5	23	(covert\$5 transform\$5) near5 (XML) near5 (WML and HTML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 09:22
S16 6	12	("6012098"   "6125391"   "6154738"   "6263332"   "6301471"   "6317783"   "6334126"   "6397217"   "6397259"   "6401132"   "6477549"   "6480860").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 09:45
S16 7	1	(master:universal) near3 (template) near5 (device) same (HTML XML WML)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 09:49
S16 8	4	(master:universal) near3 (template) near5 (device) and (HTML XML WML)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 09:50
S16 9	185	(master:universal) near3 (template) and (HTML XML WML)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 09:50
S17 0	21	(master:universal) near3 (template) same (device) and (HTML XML WML)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 09:53
S17 1	6	(master) adj(template) same (device) and (HTML XML WML)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 13:12
S17 2	0	(master) adj(template) same (specific) near5 (service) near6 (device) and (HTML XML WML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 10:54
S17 3	0	(master) adj (template) same (select\$5) near5 (service) near6 (device) and (HTML XML WML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 11:06
S17 4	2	"6785704".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 11:06